

INDEX


Sl. No.	DESCRIPTION	Pg. No.
1.	FLAT BARS	01
2.	FLAT BARS & HEXAGONAL BARS	03
3.	ROUND BARS	04
4.	ROUND BARS & SQUARE BARS	05
5.	ROUND TUBES	06
6.	ROUND TUBES, IRRIGATION TUBES & SQUARE TUBES	09
7.	CHANNELS - SQUARE FILLET	10
8.	CHANNELS	11
9.	EQUAL ANGLES	13
10.	UNEQUAL ANGLES	14
11.	HEAT SINKS	15
12.	AIR GRILL	73



**STANDARD
INDUSTRIAL SECTION**



FLAT BARS



SL. No.	A	B	Weight kg/m
1	7.00	5.50	0.104
2	8.00	2.00	0.043
3	8.50	8.00	0.183
4	10.00	8.00	0.216
5	11.50	6.35	0.197
6	12.00	2.00	0.065
7	12.00	3.00	0.097
8	12.00	4.00	0.130
9	12.00	7.00	0.227
10	12.50	6.00	0.202
11	12.70	5.00	0.171
12	12.70	8.50	0.291
13	14.00	4.00	0.151
14	15.00	2.00	0.081
15	15.00	2.00	0.081
16	15.00	3.00	0.122
17	15.00	8.00	0.324
18	15.00	8.55	0.346
19	15.87	2.34	0.100
20	16.95	4.15	0.190
21	17.00	4.00	0.183
22	17.50	1.80	0.085
23	17.50	5.40	0.255
24	18.00	1.55	0.075
25	18.00	2.50	0.121
26	18.75	4.00	0.202
27	19.00	1.82	0.093
28	19.00	5.00	0.257
29	19.00	9.50	0.487
30	19.00	12.70	0.651
31	19.05	2.25	0.116
32	19.05	2.95	0.152
33	19.05	3.18	0.163
34	19.05	4.78	0.246
35	19.05	6.35	0.327
36	19.60	1.10	0.058
37	20.00	1.60	0.086
38	20.00	2.10	0.113
39	20.00	3.00	0.162
40	20.00	4.00	0.215
41	20.00	5.00	0.270
42	20.00	6.00	0.324
43	20.00	8.00	0.432
44	20.00	10.00	0.540
45	20.00	15.00	0.810
46	22.00	2.00	0.118
47	22.35	2.81	0.169
48	23.00	2.50	0.155
49	25.00	1.00	0.068

SL.	A	B	Weight kg/m
50	25.00	1.50	0.101
51	25.00	2.80	0.189
52	25.00	3.00	0.203
53	25.00	5.00	0.337
54	25.00	6.00	0.405
55	25.00	6.50	0.439
56	25.00	8.00	0.540
57	25.00	10.00	0.675
58	25.00	15.00	1.013
59	25.00	16.00	1.080
60	25.40	2.00	0.137
61	25.40	2.30	0.158
62	25.40	2.95	0.202
63	25.40	3.18	0.218
64	25.40	3.18	0.218
65	25.40	4.00	0.274
66	25.40	6.35	0.435
67	25.40	9.52	0.652
68	25.40	12.75	0.874
69	25.40	15.88	1.089
70	25.40	19.05	1.304
71	25.45	4.78	0.328
72	27.00	15.00	1.093
73	27.00	18.00	1.312
74	27.00	24.00	1.749
75	28.00	15.00	1.134
76	30.00	2.00	0.162
77	30.00	2.90	0.235
78	30.00	3.00	0.243
79	30.00	5.00	0.405
80	30.00	8.00	0.648
81	30.00	10.00	0.809
82	30.00	13.00	1.053
83	30.00	15.00	1.215
84	30.00	20.00	1.620
85	30.18	3.96	0.322
86	31.75	2.30	0.197
87	31.75	2.95	0.253
88	31.75	3.18	0.272
89	31.75	4.78	0.410
90	31.75	6.35	0.544
91	31.75	9.52	0.816
92	31.75	12.70	1.088
93	31.75	15.88	1.361
94	31.75	19.05	1.633
95	31.75	25.40	2.177
96	31.85	3.18	0.273
97	32.00	6.00	0.518
98	32.00	10.00	0.864
99	33.50	12.00	1.085
100	34.92	3.18	0.299
101	35.00	2.96	0.279
102	35.00	5.00	0.472
103	35.00	21.00	1.984
104	36.00	2.65	0.257
105	37.00	2.00	0.199
106	38.00	1.50	0.154
107	38.00	2.00	0.205

SL. No.	A	B	Weight kg/m
108	38.00	3.00	0.308
109	38.00	3.20	0.328
110	38.00	5.00	0.513
111	38.00	20.00	2.052
112	38.10	3.18	0.327
113	38.10	3.18	0.327
114	38.10	3.81	0.392
115	38.10	4.78	0.492
116	38.10	5.08	0.522
117	38.10	6.35	0.653
118	38.10	9.52	0.979
119	38.10	12.70	1.306
120	38.10	25.40	2.613
121	38.10	31.75	3.226
122	40.00	1.60	0.173
123	40.00	3.00	0.324
124	40.00	4.00	0.432
125	40.00	5.00	0.540
126	40.00	6.50	0.702
127	40.00	8.00	0.864
128	40.00	10.00	1.080
129	40.00	12.00	1.296
130	40.00	15.00	1.620
131	40.00	16.00	1.728
132	40.00	20.00	2.160
133	40.00	32.00	3.456
134	40.00	33.00	3.564
135	41.50	4.00	0.448
136	42.00	6.00	0.680
137	42.00	27.00	3.061
138	43.00	2.00	0.232
139	44.00	16.00	1.900
140	44.45	3.18	0.382
141	44.45	12.70	1.524
142	44.45	19.05	2.286
143	44.45	25.40	3.048
144	45.00	6.00	0.729
145	45.00	25.00	3.037
146	45.00	32.00	3.888
147	47.00	2.00	0.254
148	48.00	5.50	0.713
149	50.00	3.00	0.405
150	50.00	4.00	0.540
151	50.00	5.00	0.675
152	50.00	6.00	0.810
153	50.00	6.50	0.877
154	50.00	8.00	1.080
155	50.00	10.00	1.350
156	50.00	12.00	1.619
157	50.00	13.70	1.850
158	50.00	15.00	2.025
159	50.00	20.00	2.700
160	50.00	30.00	4.050
161	50.80	6.35	0.870
162	50.80	9.52	1.306
163	50.80	12.70	1.742
164	50.80	15.88	2.178
165	50.80	19.05	2.613
166	50.80	22.22	3.047

All dimensions in mm.

Metal Extrusions



FLAT BARS

SL. No.	A	B	Weight kg/m
167	50.80	25.40	3.483
168	50.80	32.00	4.389
169	50.80	38.10	5.225
170	50.80	44.45	6.096
171	51.00	46.00	6.334
172	54.00	3.30	0.481
173	55.00	35.00	5.198
174	57.15	12.70	1.960
175	59.00	21.00	3.345
176	59.54	6.35	1.020
177	59.95	3.33	0.539
178	60.00	6.00	0.972
179	60.00	10.00	1.620
180	60.00	15.00	2.430
181	60.00	20.00	3.240
182	60.00	30.00	4.860
183	60.30	32.00	5.210
184	60.45	1.85	0.302
185	61.00	43.00	7.082
186	63.00	8.00	1.360
187	63.00	12.00	2.041
188	63.00	38.00	6.464
189	63.50	4.76	0.816
190	63.50	6.35	1.089
191	63.50	9.52	1.632
192	63.50	12.70	2.177
193	63.50	19.05	3.266
194	63.50	22.22	3.810
195	63.50	25.40	4.355
196	63.50	31.75	5.443
197	63.50	44.45	7.621
198	63.50	50.80	8.709
199	64.00	12.00	2.074
200	64.00	34.00	5.875
201	64.50	4.00	0.696
202	65.00	50.00	8.775
203	66.50	14.20	2.550
204	69.85	50.80	9.580
205	69.90	64.00	12.078
206	70.00	12.00	2.268
207	70.00	20.00	3.780
208	70.00	30.00	5.670
209	70.00	40.00	7.560
210	72.00	52.00	10.109
211	73.00	2.70	0.532
212	75.00	5.00	1.013
213	75.00	6.00	1.215
214	75.00	8.00	1.620
215	75.00	10.00	2.025
216	75.00	12.00	2.430
217	75.00	12.50	2.531
218	75.00	14.00	2.835
219	76.00	15.00	3.078
220	76.20	6.35	1.306
221	76.20	9.52	1.958
222	76.20	12.70	2.613
223	76.20	16.00	3.291
224	76.20	19.05	3.919
225	76.20	25.40	5.225

SL. No.	A	B	Weight kg/m
226	76.20	31.75	6.532
227	76.20	38.10	7.838
228	76.20	50.80	10.451
229	80.00	4.00	0.864
230	80.00	5.00	1.080
231	80.00	6.00	1.296
232	80.00	8.00	1.728
233	80.00	10.00	2.160
234	80.00	20.00	4.320
235	80.00	30.00	6.480
236	80.00	70.00	15.120
237	82.00	2.00	0.442
238	85.00	65.00	14.918
239	85.00	68.00	15.606
240	85.72	34.92	8.082
241	86.00	2.00	0.464
242	88.00	45.00	10.692
243	88.90	25.40	6.096
244	88.90	76.20	18.290
245	89.20	20.00	4.816
246	90.00	30.00	7.290
247	91.00	8.00	1.965
248	95.00	5.00	1.282
249	98.00	6.80	1.799
250	98.00	7.80	2.064
251	100.00	1.50	0.450
252	100.00	6.00	1.620
253	100.00	8.00	2.160
254	100.00	10.00	2.700
255	100.00	12.00	3.240
256	100.00	12.50	3.375
257	100.00	15.00	4.050
258	100.00	20.00	5.400
259	100.00	25.00	6.750
260	100.00	30.00	8.100
261	100.00	50.00	13.500
262	100.00	70.00	18.900
263	100.00	80.00	21.600
264	100.30	16.00	4.333
265	101.60	6.35	1.742
266	101.60	3.18	0.872
267	101.60	12.70	3.484
268	101.60	22.22	6.095
269	101.60	25.40	6.967
270	101.60	32.00	8.778
271	101.60	40.00	10.972
272	101.60	50.80	13.935
273	101.60	76.20	20.903
274	102.00	36.00	9.914
275	102.00	82.00	22.583
276	103.00	7.40	2.058
277	103.00	43.00	11.958
278	103.00	53.00	14.739
279	103.00	63.00	17.520
280	103.50	6.80	1.899
281	105.00	5.00	1.417
282	105.00	15.00	4.253
283	107.50	2.65	0.769
284	110.00	12.00	3.564

SL. No.	A	B	Weight kg/m
285	110.00	30.00	8.910
286	112.00	60.00	18.144
287	115.00	3.30	1.025
288	115.00	25.00	7.762
289	115.00	60.00	18.630
290	117.00	42.00	13.267
291	118.00	31.00	9.876
292	120.00	4.00	1.296
293	120.00	6.00	1.944
294	120.00	8.00	1.296
295	120.00	10.00	3.240
296	120.00	25.00	8.100
297	120.00	69.00	22.356
298	120.00	80.00	25.920
299	120.00	95.00	30.780
300	121.00	12.00	3.920
301	122.00	12.70	4.183
302	122.00	17.00	5.600
303	122.00	38.10	12.550
304	123.00	2.90	0.963
305	125.00	6.00	2.025
306	125.00	10.00	3.375
307	125.00	50.80	17.145
308	127.00	3.00	1.028
309	127.00	6.35	2.177
310	127.00	9.52	3.264
311	127.00	12.70	4.355
312	127.00	15.88	5.445
313	127.00	20.00	6.858
314	127.00	25.40	8.709
315	127.00	32.00	10.972
316	127.00	40.00	13.716
317	127.00	50.80	17.419
318	127.00	76.20	26.129
319	130.00	8.20	2.878
320	130.00	10.00	3.510
321	130.00	13.00	4.563
322	130.00	65.00	22.815
323	132.00	19.00	6.771
324	134.00	10.00	3.618
325	135.00	44.45	16.202
326	135.00	82.55	30.089
327	136.00	4.00	1.468
328	136.00	4.80	1.762
329	136.00	6.50	2.386
330	136.00	43.00	15.789
331	137.00	4.60	1.701
332	137.00	20.00	7.398
333	140.00	10.00	3.780
334	140.00	15.80	5.972
335	140.00	16.50	6.237
336	140.00	50.00	18.900
337	140.00	57.00	21.546
338	150.00	6.00	2.430
339	150.00	7.50	3.037
340	150.00	8.00	3.240
341	150.00	10.00	4.050
342	150.00	12.00	4.860
343	150.00	16.00	6.480

All dimensions in mm.

Metal Extrusions



FLAT BARS & HEXAGONAL BARS

SL. No.	A	B	Weight kg/m
344	150.00	19.00	7.695
345	150.00	20.00	8.100
346	150.00	25.00	10.125
347	150.00	30.00	12.150
348	150.00	40.00	16.200
349	150.00	45.00	18.225
350	150.00	75.00	30.375
351	152.40	6.40	2.633
352	152.40	12.70	5.225
353	152.40	31.75	13.064
354	152.40	50.80	20.903
355	152.40	63.50	26.129
356	152.40	101.60	41.806
357	154.00	2.00	0.832
358	158.00	8.50	3.626
359	158.00	16.00	6.825
360	158.00	35.00	14.930
361	159.00	3.00	1.288
362	160.00	6.00	2.592
363	160.00	6.40	2.764
364	160.00	10.00	4.320
365	160.00	18.00	7.776
366	160.00	25.00	10.800
367	160.00	45.00	19.440
368	160.00	50.00	21.600
369	160.00	55.00	23.800
370	162.00	10.00	4.374
371	165.00	2.00	0.891
372	165.00	14.00	6.236
373	165.00	50.00	22.275
374	167.00	30.00	13.527
375	167.00	68.00	30.661
376	170.00	12.00	5.508
377	170.00	32.00	14.688
378	172.00	12.00	5.572
379	173.00	14.00	6.539
380	175.00	3.00	1.417
381	175.00	50.00	23.625
382	175.00	52.00	24.570
383	177.80	9.52	4.570
384	178.00	10.50	5.045
385	178.00	19.50	9.371
386	180.00	19.00	9.234
387	180.00	15.00	7.290
388	180.00	40.00	19.440
390	190.00	4.00	2.052
391	190.00	50.00	25.650
392	190.50	9.53	4.901
393	195.00	30.00	15.795
394	200.00	8.00	4.320
395	200.00	10.00	5.400
396	200.00	13.00	7.020
397	200.00	15.00	8.100
398	200.00	25.00	13.500
399	203.20	12.70	6.967
400	203.00	16.00	8.770
401	204.00	5.00	2.754
402	208.00	45.00	25.272

SL. No.	A	B	Weight kg/m
403	210.00	11.00	6.237
404	210.00	12.00	6.804
405	210.00	15.00	8.505
406	215.90	22.22	12.952
407	220.00	8.15	4.841
408	220.00	16.00	9.504
409	222.00	4.75	2.847
410	222.00	5.90	3.536
411	222.00	10.25	6.143
412	228.60	26.50	16.356
413	229.00	19.00	11.747
414	230.00	5.00	3.105
415	230.00	6.00	3.726
416	230.00	9.75	6.054
417	230.00	112.00	69.552
418	232.00	42.00	26.308
419	235.00	152.00	96.444
420	238.00	16.00	10.282
421	244.00	7.00	4.611
422	245.00	5.25	3.473
423	245.00	18.00	11.907
424	246.00	20.00	13.284
425	250.00	5.65	3.813
426	250.00	6.25	4.218
427	250.00	10.00	6.750
428	250.00	12.00	8.100
429	250.00	19.00	12.825
430	250.00	100.00	67.500
431	251.00	2.40	1.626
432	252.00	10.30	7.008
433	254.00	12.70	8.709
434	254.00	25.40	17.419
435	255.00	5.25	3.614
436	255.00	6.25	4.303
437	257.00	7.00	4.857
438	258.00	6.80	4.737
439	258.00	7.40	5.154
440	258.00	7.40	5.154
441	258.00	7.50	5.224
442	258.00	9.00	6.269
443	258.00	9.75	6.791
444	258.00	10.00	6.966
445	258.00	18.00	12.539
446	262.00	8.00	5.659
447	270.00	10.00	7.290
448	285.00	16.00	12.312
449	290.00	20.00	15.660
450	291.00	3.00	2.357
451	300.00	25.00	20.250
452	300.00	28.00	22.680
453	301.00	3.20	2.600
454	304.80	26.50	21.808
455	305.00	14.00	11.529
456	305.00	16.00	13.176
457	305.00	18.00	14.823
458	311.00	3.00	2.519
459	312.00	8.00	6.739
460	316.50	23.50	20.082

SL. No.	A	B	Weight kg/m
461	320.00	20.00	17.280
462	328.00	2.95	2.612
463	340.00	22.00	20.196
464	346.00	3.25	3.036
465	350.00	22.50	21.262
466	351.00	30.50	28.904
467	353.00	4.10	3.907
468	425.00	8.20	9.409
469	425.00	25.00	28.687


HEXAGONAL BARS



SL. No.	A	Weight kg/m
1	5.00	0.058
2	5.90	0.081
3	7.00	0.115
4	8.00	0.150
5	9.00	0.189
6	9.52	0.212
7	11.00	0.283
8	12.00	0.337
9	12.70	0.377
10	13.00	0.395
11	13.85	0.449
12	14.00	0.458
13	16.00	0.599
14	16.85	0.664
15	17.00	0.675
16	17.50	0.716
17	18.00	0.758
18	18.85	0.831
19	18.90	0.835
20	19.10	0.853
21	22.00	1.132
22	22.10	1.142
23	22.25	1.157
24	23.85	1.330
25	24.00	1.347
26	25.00	1.461
27	25.40	1.508
28	26.85	1.686
29	27.00	1.705
30	27.15	1.723
31	29.00	1.966
32	30.19	2.131
33	30.50	2.175
34	32.00	2.394
35	36.00	3.030
36	37.50	3.288
37	38.10	3.394
38	41.00	3.930
39	41.27	3.984
40	50.00	5.846

ROUND RODS

ROUND RODS




SL. No.	ØA	Weight kg/m
1	4.00	0.034
2	5.00	0.053
3	5.50	0.064
4	6.00	0.076
5	6.35	0.086
6	6.40	0.087
7	7.00	0.104
8	7.20	0.110
9	7.65	0.124
10	7.94	0.134
11	8.00	0.136
12	8.50	0.153
13	8.85	0.166
14	9.00	0.172
15	9.18	0.179
16	9.30	0.183
17	9.52	0.192
18	9.66	0.198
19	9.80	0.203
20	10.00	0.212
21	10.80	0.247
22	11.00	0.257
23	11.20	0.266
24	11.53	0.282
25	11.70	0.290
26	12.00	0.305
27	12.70	0.342
28	13.00	0.358
29	13.50	0.386
30	14.00	0.416
31	14.30	0.434
32	14.50	0.446
33	15.00	0.477
34	15.30	0.496
35	15.60	0.516
36	15.70	0.523
37	15.88	0.535
38	16.00	0.543
39	16.25	0.560
40	16.70	0.591
41	17.00	0.613
42	17.50	0.649
43	18.00	0.687
44	18.30	0.710

SL. No.	ØA	Weight kg/m
45	19.00	0.765
46	19.05	0.770
47	19.70	0.823
48	20.00	0.848
49	21.00	0.935
50	21.50	0.980
51	22.00	1.027
52	22.20	1.045
53	23.00	1.122
54	24.00	1.221
55	24.50	1.272
56	25.00	1.325
57	25.40	1.368
58	25.50	1.379
59	25.80	1.412
60	26.30	1.467
61	27.00	1.546
62	27.80	1.639
63	28.00	1.662
64	28.57	1.731
65	30.00	1.908
66	30.40	1.960
67	30.90	2.025
68	31.80	2.144
69	32.00	2.171
70	32.00	2.171
71	32.40	2.226
72	33.00	2.309
73	33.50	2.380
74	34.92	2.585
75	35.60	2.688
76	36.00	2.748
77	36.70	2.856
78	37.50	2.982
79	38.00	3.062
80	38.10	3.078
81	38.50	3.143
82	39.00	3.225
83	40.00	3.393
84	40.90	3.547
85	42.00	3.741
86	42.86	3.895
87	43.00	3.920
88	44.45	4.190
89	44.70	4.237
90	45.00	4.294
91	45.50	4.390
92	48.10	4.906
93	48.50	4.988
94	50.00	5.301
95	50.80	5.472
96	51.75	5.679
97	53.50	6.07

SL. No.	ØA	Weight kg/m
98	53.98	6.179
99	54.00	6.184
100	55.00	6.415
101	56.00	6.650
102	57.15	6.926
103	60.00	7.634
104	60.32	7.716
105	62.60	8.310
106	63.50	8.550
107	65.00	8.959
108	65.40	9.070
109	66.68	9.429
110	68.20	9.863
111	68.30	9.892
112	69.20	10.155
113	69.40	10.213
114	70.00	10.390
115	71.00	10.690
116	72.00	10.993
117	73.00	11.301
118	75.00	11.928
119	76.20	12.312
120	79.40	13.369
121	80.00	13.571
122	82.55	14.450
123	85.00	15.321
124	88.90	16.759
125	90.00	17.176
126	91.00	17.560
127	95.25	19.239
128	97.00	19.952
129	100.00	21.206
130	101.60	21.890
131	105.00	23.379
132	107.95	24.711
133	110.00	25.659
134	110.60	25.940
135	111.40	26.316
136	114.30	27.704
137	115.00	28.045
138	120.00	30.536
139	120.65	30.868
140	125.00	33.134
141	127.00	34.203
142	130.00	35.838
143	133.35	37.709
144	135.00	38.647
145	139.50	41.267
146	140.00	41.563
147	143.00	43.364
148	146.00	45.202
149	150.00	47.713
150	151.50	48.672


ROUND RODS & SQUARE BARS

ROUND RODS




SL. No.	ØA	Weight kg/m
151	152.40	49.252
152	153.00	49.640
153	155.00	50.947
154	156.00	51.606
155	160.00	54.287
156	162.00	55.652
157	165.00	57.732
158	170.00	61.285
159	171.45	62.335
160	175.00	64.942
161	177.80	67.037
162	180.00	68.706
163	184.15	71.911
164	190.00	76.552
165	190.50	76.956
166	200.00	84.823
167	203.00	87.387
168	203.20	87.559
169	208.00	91.745
170	211.00	94.410
171	215.90	98.846
172	220.00	102.636
173	228.60	110.817
174	230.00	112.178
175	241.30	123.472
176	254.00	136.811
177	260.35	143.737
178	264.00	147.796
179	268.00	152.308
180	279.40	165.541
181	281.94	168.565

SQUARE BARS




SL. No.	A	Weight kg/m
1	5.00	0.068
2	6.35	0.109
3	7.93	0.170
4	8.00	0.173
5	9.53	0.245
6	10.00	0.270
7	12.00	0.389
8	12.70	0.435
9	15.00	0.608
10	15.88	0.681
11	17.00	0.780
12	19.05	0.980
13	20.00	1.080
14	25.00	1.688
15	25.50	1.756
16	30.00	2.430
17	31.75	2.722
18	32.00	2.765
19	35.00	3.308
20	38.10	3.920
21	40.00	4.320
22	42.00	4.762
23	44.45	5.334
24	45.00	5.467
25	50.00	6.750
26	50.80	6.967
27	54.00	7.873
28	60.00	9.720
29	63.00	10.716
30	63.50	10.887
31	67.00	12.120
32	69.85	13.173
33	72.00	13.996
34	76.25	15.698
35	79.00	16.850
36	80.00	17.280
37	83.00	18.600
38	88.90	21.338
39	101.00	27.542
40	101.60	27.870
41	110.00	32.670
42	120.00	38.880
43	124.00	41.515
44	130.00	45.630

SQUARE BARS WITH RADIUS



SL. No.	A	R	Weight kg/m
1	15.70	5.00	0.608
2	85.00	1.00	19.505
3	90.00	3.00	21.849
4	127.00	1.00	43.546
5	140.00	3.00	52.898
6	152.40	1.50	62.704
7	155.00	1.20	64.864
8	165.10	1.00	73.594
9	175.00	1.20	82.684
10	178.60	1.50	86.119

ROUND TUBES



SL. No.	ØA	B	Weight kg/m
1	5.60	1.20	0.045
2	6.20	0.90	0.040
3	6.20	1.20	0.050
4	6.35	1.50	0.062
5	6.35	2.07	0.075
6	7.25	1.42	0.070
7	7.40	1.50	0.075
8	7.75	1.00	0.057
9	7.80	1.00	0.058
10	8.00	1.00	0.059
11	8.00	1.20	0.069
12	8.00	1.27	0.072
13	8.00	1.50	0.083
14	8.00	2.00	0.102
15	8.30	1.45	0.084
16	8.60	0.80	0.053
17	8.80	2.65	0.138
18	9.00	0.53	0.038
19	9.05	1.00	0.063
20	9.20	0.78	0.056
21	9.35	0.55	0.041
22	9.35	0.64	0.048
23	9.35	0.65	0.048
24	9.50	1.35	0.093
25	9.52	0.78	0.058
26	9.52	0.92	0.067
27	9.52	1.00	0.073
28	9.52	1.13	0.080
29	9.52	1.22	0.086
30	9.52	1.63	0.109
31	9.70	1.40	0.099
32	10.00	0.80	0.062
33	10.00	0.82	0.064
34	10.00	1.00	0.076
35	10.00	1.50	0.108
36	10.50	0.51	0.043
37	10.50	1.70	0.127
38	10.80	1.40	0.112
39	11.00	0.42	0.038
40	11.00	0.48	0.043
41	11.00	3.00	0.204
42	11.10	1.00	0.086
43	11.11	1.60	0.129
44	11.70	0.65	0.061
45	12.00	0.48	0.047
46	12.00	0.55	0.054
47	12.00	0.72	0.068
48	12.00	0.91	0.086
49	12.00	1.00	0.093

SL. No.	ØA	B	Weight kg/m
50	12.00	3.00	0.229
51	12.70	0.86	0.086
52	12.70	1.19	0.116
53	12.70	1.63	0.153
54	12.70	2.03	0.184
55	12.70	2.20	0.196
56	13.00	1.00	0.102
57	13.00	1.85	0.175
58	14.00	0.87	0.097
59	14.00	1.55	0.164
60	14.00	3.10	0.287
61	14.50	1.22	0.137
62	15.00	0.54	0.066
63	15.00	0.60	0.073
64	15.00	2.00	0.221
65	15.00	4.75	0.413
66	15.20	0.72	0.088
67	15.40	3.20	0.331
68	15.88	0.92	0.117
69	15.88	0.96	0.121
70	15.88	1.22	0.152
71	15.88	1.63	0.197
72	15.88	2.00	0.235
73	15.88	2.38	0.272
74	16.00	1.00	0.127
75	16.00	2.20	0.257
76	16.00	2.75	0.309
77	16.90	2.45	0.300
78	17.00	0.56	0.078
79	17.00	2.60	0.318
80	17.10	2.10	0.267
81	17.50	5.55	0.562
82	18.00	0.60	0.089
83	18.00	1.30	0.184
84	18.00	1.63	0.226
85	18.00	2.00	0.271
86	18.50	0.47	0.072
87	18.50	0.51	0.078
88	18.50	0.54	0.082
89	18.50	0.60	0.091
90	18.50	0.72	0.108
91	19.00	1.15	0.174
92	19.00	2.65	0.367
93	19.05	0.82	0.127
94	19.05	0.92	0.141
95	19.05	0.95	0.145
96	19.05	1.12	0.171
97	19.05	1.20	0.182
98	19.05	1.30	0.195
99	19.05	1.63	0.241
100	19.05	1.70	0.249
101	19.05	2.00	0.289
102	19.05	2.50	0.351
103	19.05	3.18	0.428
104	19.60	2.30	0.337
105	19.60	2.40	0.350
106	19.60	3.05	0.428

SL. No.	ØA	B	Weight kg/m
107	19.80	6.20	0.715
108	20.00	1.00	0.161
109	20.00	1.25	0.199
110	20.00	1.50	0.235
111	20.00	1.63	0.254
112	20.00	3.15	0.450
113	21.00	5.10	0.688
114	21.10	3.00	0.460
115	21.20	2.55	0.403
116	21.40	4.80	0.676
117	21.50	2.50	0.403
118	21.70	3.10	0.489
119	22.00	0.55	0.099
120	22.00	0.85	0.152
121	22.00	1.00	0.178
122	22.00	1.20	0.212
123	22.00	1.25	0.220
124	22.00	1.60	0.277
125	22.00	4.10	0.623
126	22.00	5.00	0.721
127	22.22	0.88	0.159
128	22.22	1.20	0.214
129	22.22	1.60	0.280
130	22.23	1.00	0.180
131	23.00	5.00	0.763
132	23.00	1.40	0.257
133	23.00	3.00	0.509
134	23.70	2.85	0.504
135	23.90	3.65	0.626
136	24.00	0.84	0.165
137	24.00	1.25	0.241
138	24.00	1.63	0.309
139	24.00	2.75	0.496
140	25.00	1.00	0.204
141	25.00	1.22	0.246
142	25.00	1.50	0.299
143	25.00	1.50	0.299
144	25.00	1.50	0.299
145	25.00	2.00	0.390
146	25.00	2.50	0.447
147	25.00	4.00	0.713
148	25.00	6.45	1.015
149	25.40	0.83	0.173
150	25.40	0.87	0.181
151	25.40	1.00	0.207
152	25.40	1.06	0.219
153	25.40	1.22	0.250
154	25.40	1.22	0.250
155	25.40	1.60	0.323
156	25.40	1.90	0.379
157	25.40	3.20	0.603
158	25.40	5.95	0.981
159	25.91	4.63	0.836
160	26.00	3.00	0.585
161	26.67	3.17	0.633
162	27.00	2.50	0.520
163	27.00	3.00	0.611
164	27.00	3.20	0.646



ROUND TUBES

SL. No.	ØA	B	Weight kg/m
165	27.00	5.50	1.003
166	27.20	3.95	0.779
167	27.50	1.50	0.331
168	28.00	1.00	0.229
169	28.00	1.60	0.358
170	28.00	3.00	0.636
171	28.00	3.00	0.636
172	28.00	4.00	0.814
173	28.00	9.50	1.491
174	28.60	1.63	0.373
175	28.60	3.30	0.708
176	28.70	2.28	0.511
177	29.00	1.00	0.238
178	29.00	2.50	0.562
179	30.00	0.70	0.174
180	30.00	0.77	0.191
181	30.00	1.00	0.246
182	30.00	1.50	0.363
183	30.00	2.00	0.475
184	30.00	2.30	0.540
185	30.00	2.50	0.583
186	30.00	5.25	1.102
187	30.00	6.65	1.318
188	30.00	7.25	1.399
189	30.10	1.22	0.299
190	30.20	4.20	0.926
191	31.00	3.50	0.816
192	31.75	0.95	0.248
193	31.75	1.05	0.273
194	31.75	1.00	0.261
195	31.75	1.10	0.286
196	31.75	1.22	0.316
197	31.75	1.63	0.416
198	31.75	2.00	0.505
199	31.75	3.18	0.771
200	31.80	4.50	1.042
201	32.00	1.20	0.314
202	32.00	1.60	0.412
203	32.00	2.00	0.509
204	32.00	3.00	0.738
205	32.00	3.50	0.846
206	32.00	4.00	0.950
207	32.00	4.50	1.050
208	32.00	8.00	1.629
209	32.00	10.00	1.866
210	32.80	5.80	1.328
211	33.00	3.50	0.875
212	33.00	6.20	1.409
213	33.00	6.25	1.418
214	33.30	1.10	0.300
215	33.80	1.50	0.411
216	34.00	5.75	1.378
217	34.00	8.75	1.874
218	34.80	4.90	1.242
219	35.00	1.20	0.344
220	35.00	3.00	0.814
221	35.00	4.50	1.164
222	35.00	7.00	1.663

SL. No.	ØA	B	Weight kg/m
223	35.00	8.50	1.911
224	35.20	4.50	1.172
225	35.90	4.95	1.300
226	36.00	2.00	0.576
227	36.00	4.00	1.085
228	36.00	7.50	1.813
229	36.00	8.00	1.900
230	36.10	1.60	0.468
231	36.50	3.00	0.852
232	37.00	1.50	0.511
233	37.00	5.00	1.357
234	37.50	4.25	1.198
235	37.90	1.70	0.522
236	38.00	1.20	0.375
237	38.00	2.00	0.611
238	38.00	5.90	1.606
239	38.00	6.50	1.737
240	38.00	6.75	1.789
241	38.00	7.50	1.940
242	38.10	1.30	0.405
243	38.10	1.63	0.504
244	38.10	2.00	0.612
245	38.10	2.50	0.755
246	38.10	3.96	1.147
247	38.10	7.55	1.956
248	38.20	3.20	0.950
249	39.00	8.00	2.103
250	39.00	9.00	2.290
251	39.10	5.45	1.555
252	40.00	1.20	0.395
253	40.00	1.50	0.490
254	40.00	2.00	0.645
255	40.00	2.50	0.795
256	40.00	3.00	0.941
257	40.00	4.00	1.221
258	40.00	5.00	1.484
259	40.00	7.00	1.959
260	40.00	8.00	2.171
261	40.00	11.00	2.705
262	40.60	1.80	0.592
263	40.80	4.00	1.249
264	41.00	5.00	1.527
265	41.80	4.56	1.440
266	42.00	2.00	0.679
267	42.00	7.50	2.195
268	42.00	8.25	2.362
269	42.00	11.50	2.975
270	42.16	4.85	1.535
271	42.20	4.925	1.557
272	42.70	9.35	2.645
273	43.00	7.00	2.137
274	43.40	10.00	2.833
275	44.00	3.00	1.043
276	44.00	10.00	2.884
277	44.40	6.35	2.049
278	45.00	2.00	0.729
279	45.00	2.50	0.901
280	45.00	4.00	1.391
281	45.00	5.00	1.696

SL. No.	ØA	B	Weight kg/m
282	45.00	14.00	3.681
283	45.20	10.30	3.049
284	45.30	10.90	3.181
285	45.70	1.80	0.670
286	46.00	5.00	1.738
287	46.00	5.50	1.889
288	46.00	6.00	2.035
289	48.00	4.00	1.492
290	48.00	5.00	1.823
291	48.00	8.75	2.913
292	48.00	9.00	2.977
293	48.10	4.60	1.697
294	48.16	4.51	1.670
295	48.26	3.68	1.391
296	48.26	5.08	1.861
297	48.30	04.00	1.503
298	48.41	4.47	1.666
299	49.90	10.75	3.570
300	50.00	1.50	0.617
301	50.00	2.00	0.814
302	50.00	2.50	1.007
303	50.00	3.00	1.196
304	50.00	5.00	1.908
305	50.00	6.00	2.239
306	50.00	7.50	2.704
307	50.00	10.00	3.393
308	50.15	2.50	1.010
309	50.20	3.10	1.238
310	50.80	1.63	0.680
311	50.80	1.80	0.748
312	50.80	2.03	0.840
313	50.80	2.50	1.024
314	50.80	3.00	1.216
315	50.80	6.35	2.400
316	51.00	6.00	2.290
317	51.80	3.65	1.491
318	52.00	7.00	2.672
319	52.00	9.50	3.425
320	54.00	1.60	0.711
321	54.00	10.00	3.732
322	55.00	2.50	1.113
323	55.80	7.35	3.021
324	56.00	5.50	2.356
325	56.80	14.40	5.179
326	57.00	6.75	2.877
327	57.00	7.50	3.149
328	57.00	18.00	5.955
329	57.60	2.90	1.346
330	58.80	11.50	4.614
331	59.50	4.50	2.099
332	60.00	2.00	0.984
333	60.00	2.50	1.219
334	60.00	10.00	4.241
335	60.00	20.00	6.786
336	60.32	3.91	1.870
337	60.33	5.28	2.468
338	60.33	5.54	2.575
339	61.00	8.00	3.596
340	62.00	6.37	3.005

All dimensions in mm.

Metal Extrusions

TUBES



ROUND TUBES

SL. No.	ØA	B	Weight kg/m
341	63.00	1.60	0.833
342	63.00	2.00	1.035
343	63.00	3.00	1.527
344	63.00	4.00	2.002
345	63.00	9.00	4.122
346	63.50	3.18	1.627
347	63.50	7.00	3.354
348	64.00	6.00	2.952
349	65.00	1.00	0.542
350	66.00	6.00	3.053
351	66.20	3.05	1.633
352	69.35	3.18	1.782
353	69.50	12.50	6.043
354	70.00	5.00	2.757
355	70.00	17.50	7.793
356	70.00	25.00	9.543
357	70.50	19.75	8.502
358	72.00	12.00	6.107
359	73.03	5.16	2.970
360	73.03	7.00	3.920
361	75.00	3.00	1.832
362	75.00	18.00	8.702
363	76.00	2.50	1.559
364	76.00	7.00	4.096
365	76.10	4.50	2.732
366	76.20	1.30	0.825
367	76.20	1.60	1.012
368	76.20	2.00	1.259
369	76.20	3.18	1.970
370	76.20	6.35	3.762
371	76.20	9.50	5.375
372	76.50	23.50	10.565
373	78.18	4.00	2.517
374	80.00	2.50	1.643
375	80.00	3.00	1.959
376	80.00	4.00	2.579
377	80.00	5.00	3.180
378	80.00	6.00	3.766
379	80.00	8.00	4.886
380	80.00	11.50	6.682
381	80.00	15.00	8.270
382	80.00	25.00	11.663
383	80.20	2.00	1.327
384	82.00	7.00	4.453
385	82.00	21.50	11.033
386	82.55	3.20	2.154
387	85.00	1.30	0.922
388	86.00	8.00	5.293
389	86.35	3.18	2.243
390	88.90	4.05	2.915
391	88.90	5.36	3.798
392	88.90	5.49	3.884
393	88.90	6.35	4.446
394	88.90	7.62	5.253
395	88.90	9.52	6.410
396	90.00	2.50	1.856
397	90.00	4.00	2.918
398	90.00	17.50	10.762
399	91.80	3.30	2.477

SL. No.	ØA	B	Weight kg/m
400	92.00	14.50	9.532
401	92.00	22.00	13.063
402	92.10	6.27	4.568
403	95.25	12.70	8.893
404	96.00	11.50	8.243
405	96.00	19.50	12.653
406	96.50	5.00	3.880
407	96.50	10.00	7.337
408	96.50	25.00	15.162
409	98.00	4.00	3.189
410	98.00	26.00	15.878
411	100.00	3.20	2.627
412	100.00	4.00	3.257
413	100.00	5.00	4.029
414	100.00	6.00	4.784
415	100.00	8.00	6.243
416	101.60	2.30	1.937
417	101.60	3.20	2.671
418	101.60	5.74	4.667
419	101.60	8.08	6.409
420	101.60	10.00	7.770
421	101.60	19.05	13.339
422	102.00	12.00	9.160
423	105.00	2.50	2.174
424	106.00	3.70	3.211
425	108.00	3.00	2.672
426	109.00	2.00	1.815
427	110.00	15.00	12.087
428	112.00	1.90	1.774
429	112.00	11.50	9.803
430	113.50	7.20	6.492
431	114.30	6.35	5.814
432	114.30	8.56	7.678
433	114.50	4.50	4.199
434	114.50	5.50	5.085
435	117.70	11.75	10.560
436	118.00	2.00	1.967
437	120.00	1.50	1.507
438	120.00	3.00	2.977
439	120.00	5.00	4.877
440	120.00	8.00	7.600
441	120.00	10.00	9.331
442	120.00	12.00	11.931
443	120.65	6.35	6.156
444	122.00	23.50	19.634
445	122.50	30.00	23.538
446	125.00	2.00	2.087
447	125.00	6.50	6.533
448	125.00	12.00	11.502
449	125.00	20.00	17.813
450	127.00	3.50	3.666
451	130.00	7.50	7.793
452	130.00	9.00	9.237
453	130.00	12.00	12.011
454	130.00	25.00	22.266
455	130.00	28.50	24.537
456	130.00	33.50	27.421
457	132.00	5.00	5.386
458	133.00	4.00	4.377

SL. No.	ØA	B	Weight kg/m
459	133.00	5.00	5.429
460	133.00	28.00	24.938
461	135.00	32.50	28.257
462	136.00	16.50	16.725
463	137.00	26.00	24.480
464	139.70	7.35	8.251
465	140.00	4.00	4.614
466	140.00	9.00	10.001
467	140.00	10.50	11.534
468	140.00	17.50	18.184
469	141.30	9.53	10.652
470	143.00	6.00	6.972
471	143.00	29.00	28.042
472	144.00	35.25	32.516
473	145.00	7.50	8.747
474	145.00	32.50	31.013
475	146.00	17.50	19.075
476	147.00	4.50	5.439
477	150.00	2.00	2.511
478	150.00	5.00	6.150
479	150.00	13.60	15.735
480	152.00	10.00	12.045
481	152.00	31.00	31.817
482	153.00	22.50	24.906
483	153.50	13.25	15.763
484	153.60	44.00	40.905
485	154.00	4.00	5.089
486	154.00	5.00	6.319
487	155.00	2.50	3.234
488	155.00	16.00	18.865
489	155.00	30.50	32.209
490	156.00	29.50	31.654
491	156.00	8.00	10.043
492	158.00	4.00	5.225
493	159.00	4.50	5.897
494	160.00	5.50	7.208
495	160.00	5.50	7.208
496	160.00	6.00	7.838
497	160.00	8.00	10.314
498	160.00	13.00	16.210
499	160.00	25.50	29.092
500	160.00	35.00	37.110
501	160.40	4.00	5.307
502	162.00	11.00	14.089
503	165.00	4.50	6.126
504	165.00	44.50	45.484
505	168.00	4.50	6.240
506	168.00	7.50	10.210
507	168.00	25.00	30.324
508	168.30	3.50	4.893
509	168.30	10.97	14.640
510	169.00	4.50	6.279
511	170.00	5.00	6.998
512	172.00	10.00	13.741
513	172.00	17.00	22.350
514	173.00	19.00	24.819
515	173.00	24.00	30.333
516	173.80	6.40	9.087
517	175.00	15.00	20.358


All dimensions in mm.

Metal Extrusions

ROUND TUBES, IRRIGATION TUBES & SQUARE TUBES


SL. No.	ØA	B	Weight kg/m
518	175.00	22.50	29.105
519	177.80	12.70	17.785
520	178.00	20.50	27.387
521	180.00	6.50	9.566
522	180.00	15.00	20.993
523	184.00	4.50	6.851
524	184.50	6.00	9.084
525	185.00	11.00	16.235
526	190.00	5.00	7.846
527	190.00	9.00	13.818
528	195.00	13.50	20.784
529	195.00	17.50	26.348
530	195.00	25.00	36.050
531	195.00	29.50	41.413
532	200.00	4.50	7.462
533	200.00	5.00	8.270
534	200.00	8.00	13.029
535	202.00	9.53	15.559
536	202.00	18.50	28.795
537	205.00	5.00	8.482
538	205.00	27.00	40.765
539	206.00	8.50	14.240
540	207.00	28.50	43.152
541	210.00	5.00	8.694
542	210.00	15.00	24.811
543	210.00	5.00	8.694
544	219.30	4.20	7.663
545	220.00	6.50	11.771
546	220.00	8.00	14.386
547	220.00	9.50	16.962
548	220.00	10.00	17.813
549	220.00	17.50	30.059
550	225.00	5.00	9.331
551	225.00	6.50	12.047
552	225.00	20.00	34.777
553	226.00	11.00	20.061
554	226.00	42.00	65.551
555	227.00	12.50	22.743
556	230.00	5.00	9.543
557	230.00	25.00	43.472
558	230.00	28.00	47.976
559	234.00	27.00	47.408
560	235.00	8.00	15.404
561	242.00	19.50	36.803
562	245.00	35.00	62.345
563	246.00	30.00	54.965
564	250.00	5.00	10.391
565	252.00	11.00	22.487
566	252.00	17.00	33.887
567	252.00	17.00	33.887
568	260.00	5.00	10.815
569	270.00	5.00	11.239
570	270.00	14.00	30.401
571	271.00	8.00	17.847
572	275.00	7.50	17.018
573	282.00	8.50	19.719
574	290.00	5.00	12.087

IRRIGATION TUBES



SL. No.	ØA	B	Weight kg/m
1	50.80	1.27	0.534
2	63.50	1.27	0.670
3	76.20	1.27	0.807
4	101.60	1.27	1.080
5	127.00	1.32	1.407
6	152.40	1.47	1.882
7	203.20	1.92	3.278


SQUARE TUBES



SL. No.	A	B	Weight kg/m
1	11.00	0.60	0.067
2	12.00	0.55	0.068
3	12.00	0.64	0.078
4	12.20	1.20	0.143
5	12.70	0.70	0.090
6	12.70	0.81	0.104
7	12.70	1.22	0.151
8	12.70	1.63	0.195
9	15.88	1.27	0.200
10	16.00	1.00	0.162
11	17.00	0.62	0.109
12	17.50	1.44	0.245
13	18.00	1.22	0.221
14	18.00	2.00	0.345
15	18.15	0.64	0.121
16	18.50	0.69	0.133
17	18.50	0.90	0.171
18	19.00	3.00	0.518
19	19.05	1.13	0.219
20	19.05	1.22	0.235
21	19.05	1.63	0.307
22	20.00	1.50	0.299
23	20.00	1.70	0.335
24	22.50	0.52	0.123
25	22.50	0.55	0.130
26	22.50	0.63	0.148
27	23.00	0.76	0.182
28	23.50	0.87	0.212
29	23.50	1.02	0.247
30	24.50	0.67	0.172
31	25.00	1.50	0.381
32	25.00	1.80	0.451
33	25.00	2.80	0.671
34	25.40	0.82	0.219
35	25.40	1.25	0.326

SL. No.	A	B	Weight kg/m
36	25.40	1.63	0.418
37	25.40	2.00	0.505
38	25.40	2.41	0.598
39	30.00	1.80	0.548
40	30.00	3.00	0.874
41	31.75	1.25	0.412
42	31.75	1.63	0.530
43	31.75	2.00	0.643
44	32.00	1.70	0.556
45	32.00	2.60	0.825
46	35.00	0.93	0.342
47	35.00	2.00	0.712
48	37.35	4.70	1.657
49	37.50	0.80	0.317
50	38.10	1.25	0.497
51	38.10	1.37	0.547
52	38.10	1.63	0.642
53	38.10	2.13	0.827
54	38.10	2.41	0.929
55	38.10	5.00	1.787
56	38.10	6.35	2.177
57	40.00	0.80	0.339
58	40.00	1.80	0.743
59	40.00	3.00	1.198
60	40.00	2.85	1.143
61	44.45	2.00	0.917
62	44.46	3.20	1.426
63	50.00	1.18	0.621
64	50.00	1.50	0.785
65	50.00	1.70	0.887
66	50.00	2.00	1.037
67	50.00	2.30	1.185
68	50.00	2.70	1.379
69	50.80	2.40	1.254
70	50.80	3.05	1.573
71	60.00	4.00	2.419
72	62.00	3.80	2.388
73	62.00	5.00	3.078
74	63.50	2.38	1.571
75	75.00	2.70	2.108
76	75.00	3.20	2.481
77	76.20	2.38	1.897
78	87.00	3.80	3.415
79	87.00	4.00	3.586
80	87.00	5.00	4.428
81	100.00	3.00	3.142
82	101.60	3.18	3.374
83	150.00	3.00	4.763
84	200.00	4.00	8.467

CHANNELS - SQUARE FILLET




SL. No.	A	B	C	D	Weight kg/m
1	5.50	10.90	1.10	1.10	0.074
2	6.25	10.30	1.30	2.00	0.092
3	6.60	9.50	0.80	0.80	0.052
4	7.50	7.50	0.60	0.60	0.034
5	7.80	6.90	0.49	0.49	0.027
6	8.00	6.00	1.50	1.50	0.069
7	8.00	7.00	0.36	0.36	0.021
8	8.75	9.50	1.20	1.50	0.087
9	9.00	8.00	0.57	0.57	0.037
10	9.40	9.40	0.90	0.90	0.064
11	9.50	8.75	1.10	1.40	0.081
12	9.52	9.52	0.57	0.57	0.042
13	9.52	9.52	0.76	0.76	0.055
14	9.52	9.52	0.95	0.95	0.068
15	9.52	9.52	1.15	1.15	0.081
16	9.52	9.52	1.60	1.60	0.110
17	9.52	12.50	1.65	1.65	0.139
18	10.00	12.00	2.80	2.80	0.214
19	10.00	12.00	2.80	2.80	0.215
20	11.70	11.70	0.51	0.51	0.047
21	11.80	8.50	0.52	0.52	0.039
22	12.00	9.00	0.62	0.62	0.048
23	12.00	15.00	1.80	1.80	0.186
24	12.00	20.00	2.00	2.00	0.259
25	12.50	15.00	1.00	1.00	0.109
26	12.70	12.70	0.57	0.57	0.057
27	12.70	12.70	0.85	0.85	0.083
28	12.70	12.70	1.09	1.09	0.105
29	12.70	12.70	2.38	2.38	0.213
30	13.50	11.00	2.30	2.30	0.192
31	14.00	14.00	1.00	1.00	0.108
32	14.30	18.00	1.20	1.20	0.154
33	14.50	14.50	0.90	0.90	0.101
34	15.00	10.00	1.60	1.60	0.137
35	15.00	12.00	1.10	1.10	0.109
36	15.00	15.00	1.20	1.20	0.138
37	15.00	15.00	2.00	2.00	0.221
38	15.40	15.40	1.40	1.40	0.164
39	16.00	16.00	1.20	1.20	0.148
40	16.00	19.00	1.20	1.20	0.167
41	16.80	10.50	0.49	0.49	0.049
42	17.00	10.50	0.63	0.63	0.062
43	18.00	12.00	1.10	1.10	0.118
44	19.00	15.00	1.00	1.00	0.127
45	19.00	19.00	1.00	1.00	0.149
46	19.05	12.70	1.25	1.25	0.141
47	19.05	19.05	1.63	1.63	0.237

SL. No.	A	B	C	D	Weight kg/m
48	20.00	10.00	1.40	1.40	0.140
49	20.00	20.00	1.00	1.00	0.156
50	20.00	20.00	3.00	3.00	0.438
51	20.64	19.84	1.98	1.98	0.301
52	21.00	8.50	1.50	1.50	0.141
53	22.00	10.00	0.62	0.62	0.069
54	22.00	19.00	1.10	1.10	0.172
55	22.20	12.70	1.10	1.10	0.135
56	22.00	20.00	1.10	1.10	0.178
57	22.40	14.22	1.52	1.52	0.195
58	23.00	10.80	0.68	0.68	0.079
59	23.00	11.00	1.19	1.19	0.136
60	23.00	11.00	1.45	1.45	0.165
61	23.00	11.00	1.62	1.62	0.182
62	23.00	11.00	1.97	1.97	0.218
63	23.00	15.00	1.00	1.00	0.137
64	23.00	23.00	1.10	1.10	0.198
65	24.00	11.00	1.20	1.20	0.141
66	24.00	12.50	1.90	1.90	0.232
67	24.60	4.00	1.10	1.20	0.096
68	25.00	15.00	5.00	5.00	0.661
69	25.00	20.00	1.10	1.10	0.186
70	25.16	19.03	1.40	1.40	0.228
71	25.20	4.10	1.00	1.00	0.085
72	25.40	4.20	0.90	0.90	0.077
73	25.40	12.70	1.22	1.22	0.159
74	25.40	12.70	1.88	1.88	0.238
75	25.40	12.70	2.00	3.00	0.311
76	25.40	12.70	3.18	3.18	0.381
77	25.40	19.05	3.18	3.18	0.491
78	28.58	25.40	3.00	3.00	0.594
79	30.00	13.00	0.90	0.90	0.130
80	30.00	30.00	3.00	3.00	0.681
81	31.50	19.00	3.00	3.00	0.514
82	31.75	12.70	1.56	1.56	0.228
83	31.75	12.70	3.18	3.18	0.435
84	31.75	25.40	3.18	4.76	0.762
85	32.00	3.50	1.20	1.50	0.142
86	32.00	4.00	1.30	1.30	0.131
87	33.00	7.00	5.00	5.00	0.499
88	37.00	15.00	0.85	0.85	0.147
89	38.00	15.00	1.00	1.00	0.178
90	38.00	25.00	3.00	3.00	0.664
91	38.10	12.00	2.50	2.50	0.385
92	38.10	19.05	1.59	1.59	0.313
93	38.10	19.05	2.40	2.40	0.462
94	38.10	19.05	3.22	3.22	0.607
95	40.00	20.00	1.10	1.10	0.231
96	40.00	20.00	1.20	1.20	0.251
97	40.00	20.00	1.80	1.80	0.371
98	40.00	40.00	4.00	4.00	1.210
99	40.00	40.00	5.00	5.00	1.485
100	42.50	25.00	2.00	2.00	0.478
101	44.00	15.00	1.00	1.00	0.194
102	44.00	25.40	2.95	2.95	0.708
103	44.45	25.40	3.18	4.78	0.928
104	45.00	20.00	1.10	1.10	0.246
105	45.00	30.00	3.00	3.00	0.802
106	45.00	37.00	2.00	2.00	0.621

CHANNELS

SL. No.	A	B	C	D	Weight kg/m
107	45.00	54.00	2.00	2.00	0.805
108	50.00	15.00	1.00	1.00	0.210
109	50.00	20.00	1.10	1.10	0.260
110	50.00	25.00	1.80	1.80	0.468
111	50.00	40.00	5.00	5.00	1.620
112	50.80	25.40	3.00	3.00	0.773
113	50.80	25.40	4.76	4.76	1.183
114	50.80	25.40	6.59	7.35	1.650
115	60.00	20.00	4.00	4.00	0.993
116	67.00	39.00	2.80	2.80	1.053
117	75.00	35.00	4.00	4.00	1.479
118	76.00	32.00	5.00	2.20	1.256
119	76.20	50.80	3.18	3.18	1.472
120	76.40	19.20	1.90	1.20	0.432
121	90.00	75.00	12.50	17.50	8.133
122	99.00	15.00	1.10	1.10	0.376
123	100.00	25.00	1.50	1.50	0.595
124	100.00	25.00	2.00	2.00	0.788
125	100.00	30.00	1.10	1.10	0.468
126	100.00	30.00	1.50	1.50	0.635
127	100.00	50.00	10.00	10.00	4.860
128	101.60	50.80	5.00	5.00	2.608
129	101.60	50.80	6.35	6.35	3.266
130	110.00	25.00	2.00	2.00	0.842
131	120.00	50.00	8.00	8.00	4.406
132	120.00	60.00	8.00	8.00	4.838
133	130.00	67.50	11.60	11.60	7.573
134	130.00	50.00	7.00	7.00	4.082
135	134.00	32.00	10.00	8.00	4.190
136	150.00	50.00	4.00	4.00	2.613
137	152.40	63.50	7.60	4.60	4.310
137	177.80	58.40	9.98	9.98	7.543




SL. No.	A	B	C	D	Weight kg/m
1	70.00	22.00	4.00	3.00	0.975
2	75.00	35.00	6.00	3.00	1.639
3	100.00	40.00	6.50	3.50	2.221
4	125.00	45.00	8.00	5.00	3.406
5	150.00	50.00	10.00	5.00	4.446
6	175.00	60.00	9.00	5.00	5.026
7	200.00	65.00	9.00	5.00	5.607

All dimensions in mm.

Metal Extrusions

CHANNELS


CHANNELS - ROUND FILLET TOES



SL. No.	A	B	C	D	R1	R2	R3	Weight kg/m
1	50.80	31.75	6.65	4.40	3.25	-	-	1.597
2	53.80	25.40	4.76	4.76	8.00	-	12.76	1.107
3	63.00	32.00	5.00	5.00	1.00	-	-	1.580
4	63.50	25.40	4.76	4.76	8.00	-	12.76	1.232
5	75.00	40.00	5.00	5.00	5.00	-	-	1.986
6	76.00	38.00	5.00	3.00	7.00	-	-	1.617
7	76.20	38.10	5.70	4.00	8.00	-	-	1.943
8	76.20	38.10	7.94	6.35	8.50	4.50	-	2.728
9	100.00	25.00	2.00	2.00	2.00	-	-	0.792
10	100.00	50.00	1.80	1.80	1.50	-	-	1.061
11	101.60	41.83	6.68	6.68	9.52	-	-	3.205
12	101.60	50.80	7.90	6.40	9.10	-	-	3.746
13	120.00	20.00	3.00	3.00	-	-	3.00	1.237
14	125.00	55.00	6.50	6.50	6.00	-	-	3.938
15	127.20	47.88	8.05	8.05	9.40	-	-	4.598
16	140.00	50.00	8.00	8.00	6.00	-	-	4.881
17	140.00	70.00	8.00	8.00	6.00	-	-	5.745
18	152.40	51.60	8.10	8.10	11.20	-	-	5.380
19	160.00	79.50	10.00	10.00	1.00	-	-	8.072
20	177.00	58.40	10.09	10.09	7.00	-	-	7.532
21	177.80	58.40	9.98	9.98	11.11	-	-	7.543
22	177.80	95.25	12.70	12.70	3.17	3.17	15.87	11.455
23	184.00	43.00	3.00	3.00	-	-	3.00	2.128
24	203.20	65.00	11.84	11.84	12.70	-	-	10.081
25	65.00	35.00	3.00	3.00	1.00	-	1.50	1.043
26	224.00	43.00	3.00	3.00	-	-	3.00	2.452
27	250.00	75.00	5.00	5.00	10.00	3.00	-	5.380
28	85.00	40.00	3.00	3.00	1.00	-	2.00	1.284
29	254.00	92.87	13.18	13.18	12.90	-	-	14.903
30	254.00	92.87	13.18	13.18	12.90	-	8.00	14.829
31	264.00	43.00	3.00	3.00	-	-	3.00	2.776

EQUAL ANGLES

EQUAL ANGLES - SQUARE FILLET




SL. No.	A	B	Weight kg/m
1	6.00	1.30	0.037
2	11.00	0.37	0.022
3	11.00	0.47	0.027
4	12.00	0.53	0.033
5	12.00	1.30	0.079
6	12.70	0.75	0.050
7	12.70	1.52	0.098
8	12.70	3.18	0.191
9	15.00	1.30	0.100
10	16.80	0.34	0.030
11	16.80	0.39	0.035
12	18.00	0.60	0.057
13	19.00	0.80	0.079
14	19.05	0.62	0.064
15	19.05	1.00	0.099
16	19.05	1.31	0.130
17	19.05	1.60	0.158
18	19.05	2.00	0.195
19	19.05	2.25	0.218
20	19.05	2.75	0.262
21	19.05	3.18	0.299
22	20.00	1.20	0.126
23	20.00	2.00	0.205
24	20.20	1.10	0.116
25	21.00	0.46	0.052
26	23.00	0.55	0.067
27	23.00	0.62	0.076
28	23.50	1.90	0.231
29	25.00	1.30	0.170
30	25.00	1.50	0.196
31	25.00	1.80	0.234
32	25.00	2.00	0.259
33	25.40	0.80	0.108
34	25.40	1.01	0.137
35	25.40	1.22	0.163
36	25.40	1.60	0.213
37	25.40	2.10	0.273
38	25.40	2.25	0.295
39	25.40	3.18	0.409
40	25.40	5.00	0.618
41	28.00	1.80	0.263
42	28.00	2.50	0.360
43	29.00	0.59	0.091
44	30.00	1.80	0.283
45	30.00	2.00	0.313
46	30.00	2.80	0.432
47	30.00	3.00	0.462
48	30.00	5.00	0.742
49	31.75	0.72	0.122
50	31.75	1.57	0.262
51	31.75	3.00	0.488

SL. No.	A	B	Weight kg/m
52	32.00	5.00	0.797
53	35.00	1.10	0.204
54	35.00	3.40	0.610
55	35.00	4.00	0.712
56	38.00	2.80	0.553
57	38.00	5.00	0.959
58	38.10	1.22	0.247
59	38.10	1.50	0.302
60	38.10	1.57	0.316
61	38.10	2.25	0.449
62	38.10	2.50	0.497
63	38.10	2.76	0.546
64	38.10	3.18	0.627
65	38.10	4.78	0.921
66	38.10	6.35	1.197
67	38.10	5.80	1.102
68	40.00	2.50	0.523
69	40.00	2.80	0.584
70	40.00	3.00	0.623
71	40.00	4.00	0.820
72	40.00	5.00	1.013
73	45.00	5.00	1.147
74	50.00	1.00	0.267
75	50.00	2.00	0.529
76	50.00	2.80	0.735
77	50.00	3.00	0.786
78	50.00	4.00	1.036
79	50.00	6.00	1.523
80	50.00	8.00	1.987
81	50.00	5.00	1.282
82	50.80	1.60	0.432
83	50.80	4.78	1.249
84	50.80	6.00	1.548
85	50.80	6.35	1.633
86	60.00	6.00	1.847
87	60.00	8.00	2.419
88	63.00	3.00	0.996
89	63.50	4.78	1.577
90	63.50	6.35	2.067
91	75.00	2.70	1.074
92	75.00	3.00	1.191
93	75.00	4.78	1.873
94	76.20	9.52	3.673
95	80.00	8.00	3.283
96	100.00	10.00	5.130
97	114.3	6.35	3.810
98	160.00	12.00	9.979

16770

2.984 kg/m




All dimensions in mm.

Metal Extrusions

ANGLES


UNEQUAL ANGLES - SQUARE FILLET



SL. No.	A	B	C	Weight kg/m
1	14.90	9.90	2.00	0.123
2	16.00	10.00	0.41	0.028
3	16.50	10.50	0.49	0.035
4	18.00	10.00	1.60	0.114
5	19.00	12.00	1.23	0.098
6	19.05	12.70	0.79	0.066
7	19.05	12.70	0.62	0.052
8	19.50	10.00	2.00	0.148
9	19.50	15.88	2.38	0.212
10	22.00	10.00	1.60	0.131
11	22.00	12.70	3.00	0.257
12	22.20	20.32	2.16	0.235
13	22.25	12.70	2.00	0.178
14	22.50	11.00	0.50	0.044
15	25.00	9.60	1.70	0.151
16	25.00	11.00	0.80	0.076
17	25.00	16.00	2.30	0.240
18	25.00	16.00	2.50	0.259
19	25.40	12.70	1.22	0.121
20	25.40	12.70	0.64	0.065
21	25.40	12.70	1.57	0.154
22	25.40	19.05	1.60	0.185
23	25.40	20.64	1.98	0.235
24	28.04	21.69	2.64	0.335
25	30.00	20.00	3.00	0.381
26	30.00	25.00	3.00	0.421
27	31.75	19.05	3.18	0.409
28	37.00	24.00	0.80	0.130
29	38.00	25.00	2.18	0.358
30	38.10	22.22	2.50	0.390
31	38.10	25.40	1.82	0.303
32	38.10	25.40	2.36	0.390
33	38.10	25.40	3.18	0.517
34	38.10	25.40	4.75	0.753
35	40.00	20.00	3.00	0.461
36	44.00	22.00	2.00	0.345
37	44.45	25.40	1.50	0.276
38	45.00	25.00	4.00	0.712
39	49.00	24.00	1.10	0.218
40	50.00	25.00	2.30	0.451
41	50.00	25.40	5.00	0.950
42	50.00	25.00	3.00	0.583
43	50.00	30.00	3.00	0.623
44	50.00	40.00	4.00	0.928
45	50.80	25.40	3.48	0.683
46	50.80	38.10	6.35	1.415
47	55.30	30.00	1.50	0.339
48	55.30	28.30	2.50	0.547


SL. No.	A	B	C	Weight kg/m
49	60.00	25.00	8.00	1.663
50	60.00	30.00	1.40	0.335
51	60.00	40.00	3.00	0.786
52	60.00	50.00	3.00	0.866
53	60.00	50.00	8.00	2.203
54	63.00	38.00	5.00	1.295
55	63.50	19.05	1.22	0.268
56	63.50	22.23	3.18	0.708
57	63.50	50.80	6.35	1.851
58	68.15	15.05	3.00	0.649
59	80.00	50.00	5.00	1.688
60	100.00	40.00	3.00	1.110
61	101.00	76.00	6.35	2.925
62	150.00	40.00	2.00	1.015
63	152.40	38.10	3.18	1.608
64	160.00	100.00	10.00	6.750
65	160.00	100.00	12.00	8.035
66	180.00	55.00	5.00	3.105

EQUAL ANGLES-ROUND FILLET TOES



SL. No.	A	B	R1	R2	Weight kg/m
1	31.75	3.18	5.08	-	0.532
2	38.10	4.78	4.76	-	0.934
3	45.00	4.00	4.00	-	0.937
4	50.80	6.20	6.50	-	1.621
5	88.00	6.00	6.00	-	2.774

UNEQUAL ANGLES-ROUND FILLET TOES



SL. No.	A	B	C	R1	Weight kg/m
1	63.50	50.80	4.78	5.50	1.448
2	75.00	50.00	6.20	6.50	2.013
3	101.60	31.75	3.80	2.40	1.330
4	120.00	80.00	8.00	8.00	4.184




HEAT SINKS

HEAT SINKS


MEJ1 (MEM 16)

5.511 kg/m




MEJ 2 (MEM 19)

2.864 kg/m




MEJ3 (MEM 20)

4.860 kg/m




MEJ4

4.097 kg/m



MEJ5

1.824 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ6

8.968 kg/m




MEJ7 (MEM 34)

13.932 kg/m



MEJ8

6.666 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ9

8.072 kg/m




MEJ10 (MEM 11)

1.146 kg/m




MEJ11

1.177 kg/m




MEJ12

0.930 kg/m




MEJ13

0.552 kg/m



MEJ14




4.558 kg/m



All dimensions in mm.

Metal Extrusions

HEAT SINKS




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ18

2.983 kg/m




MEJ19

4.602 kg/m




MEJ20

7.722 kg/m




MEJ21 (MEM 24)

3.267 kg/m



MEJ22

18.157 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ23

9.073 kg/m




MEJ24

0.334 kg/m




MEJ25

0.259 kg/m




MEJ26

20.574 kg/m




MEJ27

1.788 kg/m



MEJ28 (MEM 40)

4.953 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ29 (MEM 33)

16.282 kg/m




MEJ30

3.113 kg/m




MEJ31

3.535 kg/m




MEJ32

1.401 kg/m



MEJ33






2.013 kg/m



All dimensions in mm.

Metal Extrusions

HEAT SINKS




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ39

3.629 kg/m




MEJ40

16.568 kg/m




MEJ41

5.762 kg/m



MEJ42

7.650 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ43



13.747 kg/m


MEJ44 (MEM 03)

0.177 kg/m




MEJ45

0.777 kg/m




MEJ46

6.800 kg/m




MEJ47

1.368 kg/m



MEJ48

1.160 kg/m




All dimensions in mm.


Metal Extrusions

HEAT SINKS


MEJ49 1.293 kg/m




MEJ50 0.425 kg/m




MEJ51 0.267 kg/m




MEJ52 0.373 kg/m




MEJ53 0.373 kg/m




MEJ54 (MEM 07) 0.256 kg/m




MEJ55 12.239 kg/m



MEJ57 0.830 kg/m









MEJ58 0.616 kg/m



All dimensions in mm.

HEAT SINKS




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ65

9.466 kg/m




MEJ66

8.860 kg/m




MEJ67

3.927 kg/m




MEJ68

2.667 kg/m



MEJ69

22.862 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ70

1.971 kg/m




MEJ71

0.259 kg/m




MEJ72

10.770 kg/m




MEJ73

1.189 kg/m




MEJ74

0.788 kg/m




MEJ75

3.194 kg/m



MEJ76

2.267 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ77

3.497 kg/m




MEJ78

1.770 kg/m




MEJ79

10.060 kg/m



MEJ80

2.940 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ81

2.735 kg/m




MEJ82

3.037 kg/m




MEJ83

10.648 kg/m




MEJ84

2.650 kg/m




MEJ85

2.156 kg/m



MEJ86

2.122 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ87

27.703 kg/m



MEJ88 (MEM 38)

2.787 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ89

4.045 kg/m




MEJ90

1.676 kg/m




MEJ91

0.899 kg/m



MEJ92 (MEM 44)

20.958 kg/m




All dimensions in mm.

Metal Extrusions


HEAT SINKS

MEJ93




7.106 kg/m

MEJ94




1.946 kg/m

MEJ95




6.472 kg/m

MEJ96




7.935 kg/m

MEJ97



3.390 kg/m

MEJ98




1.866 kg/m

All dimensions in mm.


HEAT SINKS

MEJ99




MEJ100

2.559 kg/m




MEJ101

2.218 kg/m




MEJ102

15.670 kg/m




MEJ103 (MEM 39)

3.335 kg/m



MEJ104

0.692 kg/m




All dimensions in mm.

HEAT SINKS


MEJ105

9.551 kg/m




MEJ106

3.140 kg/m




MEJ107

5.601 kg/m




MEJ108

0.802 kg/m



MEJ109 (MEM 23)









4.485 kg/m



All dimensions in mm.

Metal Extrusions







HEAT SINKS



All dimensions in mm.

Metal Extrusions

HEAT SINKS




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ124

0.275 kg/m



MEJ125

2.579 kg/m




MEJ126

3.409 kg/m




MEJ127

3.059 kg/m




MEJ128

1.852 kg/m



MEJ129


0.287 kg/m



MEJ130

9.1x13 = (118.3)

7.696 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ131

5.841 kg/m




MEJ132

8.305 kg/m




MEJ133

5.511 kg/m




MEJ134

1.363 kg/m



MEJ135

1.143 kg/m




All dimensions in mm.

HEAT SINKS


MEJ136

2.708 kg/m




MEJ137

0.271 kg/m




MEJ138

4.607 kg/m




MEJ139

0.322 kg/m




MEJ140

6.418 kg/m



MEJ141

3.740 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ142

10.126 kg/m




MEJ143

7.251 kg/m




MEJ144

9.404 kg/m




MEJ145

8.120 kg/m




MEJ146

17.775 kg/m



MEJ147

10.255 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ148

0.757 kg/m




MEJ149

1.354 kg/m




MEJ150

10.273 kg/m




MEJ151

9.179 kg/m




MEJ152

0.286 kg/m




MEJ153

0.810 kg/m




MEJ154

5.442 kg/m



MEJ155

1.211 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ156

6.222 kg/m




MEJ157

6.707 kg/m




MEJ158

5.542 kg/m




MEJ159

4.919 kg/m



MEJ160

15.125 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ161

14.213 kg/m




MEJ162

2.493 kg/m




MEJ163

8.660 kg/m



MEJ164

3.101 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ165

2.661 kg/m




MEJ166

18.571 kg/m




MEJ167

0.363 kg/m




MEJ168

1.119 kg/m




MEJ169

2.157 kg/m




MEJ170

2.105 kg/m



MEJ171

1.206 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ172

7.007 kg/m




MEJ173

18.489 kg/m




MEJ174

3.958 kg/m




MEJ175

1.931 kg/m




MEJ176

2.797 kg/m



MEJ177

0.847 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ178 (MEM 51)

20.979 kg/m




MEJ179

2.327 kg/m




MEJ180

2.646 kg/m




MEJ181

0.501 kg/m



MEJ182

0.394 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ183

3.861 kg/m




MEJ184

3.859 kg/m




MEJ185

3.704 kg/m



MEJ186

26.514 kg/m




All dimensions in mm.

Metal Extrusions


HEAT SINKS

MEJ187




28.089 kg/m

MEJ188



8.405 kg/m

MEJ189



3.373 kg/m


All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ190

11.579 kg/m




MEJ256

4.674 kg/m



MEJ257

5.035 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ191

9.164 kg/m




MEJ192

2.021 kg/m




MEJ193

1.924 kg/m




MEJ194

0.728 kg/m




MEJ197

14.287 kg/m




MEJ195

4.575 kg/m




MEJ196

4.728 kg/m



MEJ198

0.781 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ199

7.497 kg/m




MEJ200

4.773 kg/m




MEJ201

2.415 kg/m




MEJ202

3.562 kg/m



MEJ203

10.951 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ204

4.918 kg/m




MEJ205

7.571 kg/m




MEJ206

2.143 kg/m




MEJ207

0.644 kg/m




MEJ208

0.953 kg/m



MEJ209







10.117 kg/m



All dimensions in mm.

Metal Extrusions

HEAT SINKS




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ216

9.133 kg/m




MEJ217

1.350 kg/m




MEJ218

1.079 kg/m




MEJ219

3.440 kg/m



MEJ220

0.874 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ221

0.279 kg/m




MEJ222

0.249 kg/m




MEJ223

1.292 kg/m




MEJ224

1.983 kg/m




MEJ225

20.271 kg/m



MEJ258

14.761 kg/m




All dimensions in mm.

Metal Extrusions


HEAT SINKS

MEJ226 0.703 kg/m




MEJ227

8.127 kg/m




MEJ228 0.901 kg/m




MEJ229

1.452 kg/m




MEJ230

12.730 kg/m




MEJ231

13.371 kg/m



MEJ232

6.975 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ233

4.175 kg/m




MEJ234

2.497 kg/m




MEJ235

1.116 kg/m




MEJ236

2.677 kg/m




MEJ237

2.382 kg/m



MEJ238

3.654 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ239

8.764 kg/m




MEJ240

9.041 kg/m




MEJ241

1.116 kg/m




MEJ242

3.036 kg/m




MEJ243

4.339 kg/m




MEJ244

0.363 kg/m




MEJ245

7.093 kg/m




MEJ246

2.602 kg/m



MEJ247

2.896 kg/m




All dimensions in mm.

Metal Extrusions

HEAT SINKS


MEJ248

0.418 kg/m




MEJ250

13.394 kg/m




MEJ249

0.660 kg/m




MEJ251

11.890 kg/m




MEJ252

3.810 kg/m



MEJ253



0.744 kg/m



All dimensions in mm.

Metal Extrusions

HEAT SINKS



METAL EXTRUSIONS

HEAT SINKS




ME 1042

Wt/mt. .90 kg.




ME 1046

Wt/mt. .14 kg.




ME 1048

Wt/mt. .28 kg.




ME 1049

Wt/mt. .24 kg.




ME 1011

Wt/mt. 2.4 kg.




ME 1012

Wt/mt. 1.6 kg.




ME 1013

Wt/mt. 2.86 kg.



ME 1040

Wt/mt. .77 kg.



All dimensions in mm.

Metal Extrusions


METAL EXTRUSIONS

HEAT SINKS




ME 1051

Wt/mt. .56 kg.




ME 1052

Wt/mt. .96 kg.




ME 1054

Wt/mt. 2.05 kg.




ME 1065

Wt/mt. .50 kg.




ME 1066

Wt/mt. 1.10 kg.




ME 1070

Wt/mt. 1.48 kg.




ME 1077

Wt/mt. 2.6 kg.



ME 1077

Wt/mt. 3.05 kg.




All dimensions in mm.

Metal Extrusions




ME 1105

Wt/mt. 5.0 kg.




ME 1132

Wt/mt. 3.8 kg.




ME 1151

Wt/mt. .18 kg.




ME 1152

Wt/mt. .77 kg.




ME 1153

Wt/mt. .28 kg.




ME 1154

Wt/mt. .17 kg.




ME 1163

Wt/mt. .44 kg.




ME 1164

Wt/mt. 1.0 kg.



ME 1165

Wt/mt. 2.87 kg.



All dimensions in mm.

Metal Extrusions


METAL EXTRUSIONS

HEAT SINKS




ME 1166

Wt/mt. .22 kg.




ME 1182

Wt/mt. 1.10 kg.




ME 1187

Wt/mt. 1.34 kg.




ME 1188

Wt/mt. .97 kg.




ME 1189

Wt/mt. 1.18 kg.



ME 1194

Wt/mt. 4.1 kg.




All dimensions in mm.

Metal Extrusions




ME 1195

Wt/mt. 2.2 kg.




ME 1198

Wt/mt. 1.1 kg.




ME 1199

Wt/mt. .60 kg.




ME 1200

Wt/mt. .18 kg.




ME 1201

Wt/mt. .61 kg.




ME 1213

Wt/mt. .75 kg.




ME 1214

Wt/mt. 2.2 kg.




ME 1215

Wt/mt. 1.3 kg.




ME 2010

Wt/mt. 1.0 kg.




ME 2011

Wt/mt. 0.21 kg.




ME 2012

Wt/mt. 0.51 kg.



ME 2011

Wt/mt. 0.21 kg.



All dimensions in mm.

Metal Extrusions


METAL EXTRUSIONS

HEAT SINKS




ME 2007

Wt/mt.




ME 2008

Wt/mt. 0.68 kg.




ME 2009

Wt/mt.




ME 4007

Wt/mt. 0.438 kg.




ME 4008

Wt/mt. 0.445 kg.




ME 4009

Wt/mt. 0.645 kg.



ME 4010

Wt/mt. 0.235 kg.




All dimensions in mm.

Metal Extrusions


ME 4011

Wt/mt. 0.260 kg.




ME 4015

Wt/mt. 4.500 kg/12




ME 4016

Wt/mt. 13.710 kg/12




ME 4017

Wt/mt. 2.820 kg/12



ME 4012


Wt/mt. 6.600 kg/12






ME 4013

Wt/mt. 7.380 kg.




ME 4014

Wt/mt. 1.122 kg




ME 4003

Wt/mt. 3.050 kg




ME 4004

Wt/mt. 1.036 kg.




ME 4005

Wt/mt. 6.680 kg./12



ME 4006

Wt/mt. 5.438 kg./12




All dimensions in mm.

Metal Extrusions




ME 4000

Wt/mt. 3.500 kg.




ME 4001

Wt/mt. 1.717 kg.




ME 4002

Wt/mt. 1.743 kg.



ME 4024

Wt/mt. 2.350 kg./12'




All dimensions in mm.

Metal Extrusions




ME 4025

Wt/mt. 1.610 kg./12'




ME 4026

Wt/mt. 2.750 kg./12'




ME 4027

Wt/mt. 1.000 kg/12'



ME 4028




















Wt/mt. 4.380 kg/12'





AIR GRILL SECTIONS






















AIR GRILL PROFILE

MEA 1 0.110 kg/m 	MEA 2 0.112 kg/m 	MEA 3 0.108 kg/m 
MEA 4 0.100 kg/m 	MEA 5 0.110 kg/m 	MEA 6 0.096 kg/m 
MEA 7 0.083 kg/m 	MEA 8 0.076 kg/m 	MEA 9 0.064 kg/m 
MEA 10 0.109 kg/m 	MEA 11 0.071 kg/m 	MEA 12 0.118 kg/m 
MEA 13 0.122 kg/m 	MEA 14 0.126 kg/m 	MEA 15 0.112 kg/m 
MEA 16 0.103 kg/m 	MEA 17 0.111 kg/m 	MEA 18 0.097 kg/m 
MEA 19 0.093 kg/m 	MEA 20 0.079 kg/m 	MEA 21 0.075 kg/m 

All dimensions in mm.

Metal Extrusions

AIR GRILL PROFILE


MEA 22 0.101 kg/m 	MEA 23 0.120 kg/m 	MEA 24 0.074 kg/m 
MEA 25 0.077 kg/m 	MEA 26 0.112 kg/m 	MEA 27 0.088 kg/m 
MEA 28 0.081 kg/m 	MEA 29 0.114 kg/m 	MEA 30 0.102 kg/m 
MEA 31 0.075 kg/m 	MEA 32 0.100 kg/m 	MEA 33 0.099 kg/m 
MEA 34 0.078 kg/m 	MEA 35 0.081 kg/m 	MEA 36 0.081 kg/m 
MEA 37 0.114 kg/m 	MEA 38 0.065 kg/m 	MEA 39 0.112 kg/m 
MEA 40 0.115 kg/m 	MEA 41 0.071 kg/m 	MEA 42 0.055 kg/m 

All dimensions in mm.



Metal Extrusions

AIR GRILL PROFILE

MEA 43 0.059 kg/m




MEA 44 0.167 kg/m




SL. No.	Section No.	A	Weight kg/m
1	MEA 45	100.00	0.788
2	MEA 46	110.00	0.842


MEA 47 0.154 kg/m




MEA 48 0.142 kg/m




MEA 49 0.335 kg/m




MEA 50 0.204 kg/m




MEA 51 0.121 kg/m




MEA 52 0.035 kg/m




MEA 53 0.369 kg/m




MEA 54 0.444 kg/m



MEA 55 0.439 kg/m



MEA 56 0.150 kg/m




All dimensions in mm.


Metal Extrusions

AIR GRILL PROFILE


MEA 57 0.220 kg/m




MEA 58 0.181 kg/m




MEA 59 0.139 kg/m




MEA 60 0.358 kg/m




MEA 61 0.275 kg/m




MEA 62 0.488 kg/m




MEA 63 0.286 kg/m




MEA 64 0.228 kg/m




MEA 65 0.408 kg/m




MEA 66 0.417 kg/m



MEA 67 0.263 kg/m



MEA 68 0.122 kg/m




All dimensions in mm.


Metal Extrusions

AIR GRILL PROFILE


MEA 69 0.196 kg/m




MEA 70 0.172 kg/m




MEA 71 0.227 kg/m




MEA 72 0.418 kg/m




MEA 73 0.226 kg/m




MEA 74 0.143 kg/m




MEA 75 0.177 kg/m




MEA 76 0.151 kg/m




MEA 77 0.454 kg/m




MEA 78 0.637 kg/m



MEA 79 0.781 kg/m



MEA 80 0.427 kg/m




All dimensions in mm.


Metal Extrusions

AIR GRILL PROFILE


MEA 81 0.141 kg/m




MEA 82 0.384 kg/m




MEA 83 0.072 kg/m




MEA 84 0.398 kg/m




MEA 85 0.345 kg/m




MEA 86 1.125 kg/m




MEA 87 1.555 kg/m




MEA 88 1.000 kg/m




MEA 89 1.549 kg/m



MEA 90 0.097 kg/m














MEA 91 0.310 kg/m



All dimensions in mm.

Metal Extrusions

AIR GRILL PROFILE




All dimensions in mm.


Metal Extrusions

AIR GRILL PROFILE


MEA 103 0.285 kg/m




MEA 104 0.232 kg/m




MEA 105 0.210 kg/m




MEA 106 0.571 kg/m




MEA 107 0.566 kg/m




MEA 108 0.162 kg/m




MEA 109 0.109 kg/m




MEA 110 0.163 kg/m




MEA 111 0.204 kg/m




MEA 112 0.496 kg/m




MEA 113 0.212 kg/m



MEA 115 0.241 kg/m



MEA 114 0.150 kg/m




All dimensions in mm.


Metal Extrusions

AIR GRILL PROFILE


MEA 116 0.597 kg/m



MEA 117 0.114 kg/m




MEA 118 0.172 kg/m




MEA 119


1.082 kg/m




MEA 120 0.202 kg/m




MEA 121 0.386 kg/m




MEA 122 0.372 kg/m




MEA 123 0.436 kg/m



MEA 124 0.961 kg/m



MEA 125 0.626 kg/m




All dimensions in mm.

Metal Extrusions

AIR GRILL PROFILE


MEA 126

0.451 kg/m




MEA 127

0.248 kg/m




MEA 128

0.289 kg/m




MEA 129

0.676 kg/m




MEA 130

0.249 kg/m




MEA 131

0.213 kg/m




MEA 132

0.082 kg/m




MEA 133

0.176 kg/m




MEA 134

0.248 kg/m




MEA 135

1.608 kg/m



MEA 136

0.457 kg/m




All dimensions in mm.


Metal Extrusions

AIR GRILL PROFILE


MEA 137 0.632 kg/m




MEA 138 1.317 kg/m




MEA 139 0.372 kg/m




MEA 140 0.323 kg/m



MEA 141 0.258 kg/m




MEA 142




0.620 kg/m


MEA 143 4.473 kg/m



MEA 144 0.295 kg/m



MEA 145 1.193 kg/m




All dimensions in mm.


Metal Extrusions

AIR GRILL PROFILE


MEA 146 1.079 kg/m




MEA 147 0.144 kg/m




MEA 148 0.200 kg/m




MEA 149 0.105 kg/m




MEA 150 0.169 kg/m




MEA 151 0.125 kg/m




MEA 152 0.423 kg/m




MEA 153 0.145 kg/m




MEA 154 0.147 kg/m




MEA 155 0.254 kg/m




MEA 156 0.165 kg/m




MEA 157 0.232 kg/m



MEA 158 0.210 kg/m



MEA 159 0.197 kg/m




All dimensions in mm.


Metal Extrusions

AIR GRILL PROFILE


MEA 160 0.196 kg/m




MEA 161 0.198 kg/m




MEA 162 0.273 kg/m




MEA 163 0.246 kg/m




MEA 164 0.374 kg/m




MEA 165 0.227 kg/m




MEA 166 0.388 kg/m




MEA 167 0.407 kg/m




MEA 168 0.420 kg/m



MEA 169 0.361 kg/m



MEA 170 0.401 kg/m




All dimensions in mm.


Metal Extrusions

AIR GRILL PROFILE


MEA 171 0.173 kg/m




MEA 172 0.274 kg/m




MEA 173 0.256 kg/m




MEA 174 0.140 kg/m




MEA 175 0.221 kg/m




MEA 176 0.212 kg/m




MEA 177 0.230 kg/m




MEA 178 0.110 kg/m




MEA 179 0.217 kg/m




MEA 180 0.625 kg/m




MEA 181 0.848 kg/m



MEA 182 1.417 kg/m
















MEA 183 1.315 kg/m



All dimensions in mm.

Metal Extrusions

AIR GRILL PROFILE




All dimensions in mm.

Metal Extrusions

AIR GRILL PROFILE


MEA 197

0.616 kg/m




MEA 198

0.497 kg/m




MEA 199

0.270 kg/m




MEA 200

0.486 kg/m




MEA 201

1.544 kg/m




MEA 202

1.210 kg/m



MEA 203

2.635 kg/m



MEA 204

0.842 kg/m




All dimensions in mm.


Metal Extrusions

AIR GRILL PROFILE


MEA 205 0.356 kg/m




MEA 206 0.950 kg/m




MEA 207 0.385 kg/m




MEA 208 0.857 kg/m




MEA 209 0.845 kg/m




MEA 210 0.660 kg/m




MEA 211 0.097 kg/m



MEA 212 0.694 kg/m



MEA 213 0.811 kg/m




All dimensions in mm.

Metal Extrusions

AIR GRILL PROFILE


MEA 214

0.567 kg/m




MEA 215

0.273 kg/m




MEA 216 0.209 kg/m




MEA 217

0.421 kg/m




MEA 218

0.217 kg/m




MEA 219

0.417 kg/m




MEA 220

0.617 kg/m




MEA 221

0.434 kg/m




MEA 222

0.245 kg/m




MEA 223

0.826 kg/m



MEA 224

0.158 kg/m




All dimensions in mm.

Metal Extrusions

AIR GRILL PROFILE


MEA 225

1.103 kg/m




MEA 226

0.311 kg/m




MEA 227

0.291 kg/m




MEA 228

0.138 kg/m




MEA 229

0.164 kg/m




MEA 230

0.138 kg/m




MEA 231

0.916 kg/m




MEA 232

0.716 kg/m



MEA 233

0.502 kg/m




All dimensions in mm.


Metal Extrusions

AIR GRILL PROFILE


MEA 234 0.483 kg/m




MEA 235 0.262 kg/m




MEA 236 1.575 kg/m




MEA 237 0.103 kg/m




MEA 238 0.193 kg/m




MEA 239 0.397 kg/m




MEA 240 0.479 kg/m




MEA 241 0.371 kg/m




MEA 242 0.410 kg/m



MEA 243 0.180 kg/m



MEA 244 0.142 kg/m




All dimensions in mm.

Metal Extrusions

AIR GRILL PROFILE


MEA 245

0.421 kg/m




MEA 246

0.162 kg/m




MEA 247

0.324 kg/m




MEA 248

0.333 kg/m




MEA 249

1.547 kg/m




MEA 250

1.580 kg/m



MEA 251

0.850 kg/m




All dimensions in mm.

Metal Extrusions

AIR GRILL PROFILE


MEA 252

0.196 kg/m




MEA 253

0.406 kg/m




MEA 254

0.412 kg/m




MEA 255

0.195 kg/m




MEA 256

0.184 kg/m




MEA 257

0.368 kg/m




MEA 258

0.126 kg/m




MEA 259

0.161 kg/m



MEA 260

0.095 kg/m




All dimensions in mm.

Metal Extrusions

AIR GRILL PROFILE


MEA 261

1.390 kg/m




MEA 262

1.621 kg/m




MEA 283

0.088 kg/m




MEA 281

0.106 kg/m




MEA 270

0.106 kg/m




MEA 269

0.244 kg/m




MEA 267

0.353 kg/m



MEA 268












0.360 kg/m



All dimensions in mm.

Metal Extrusions













AIR GRILL PROFILE

MEA 299 0.062 kg/m	MEA 309 0.070 kg/m	MEA 310 0.080 kg/m
		
MEA 271 0.088 kg/m	MEA 272 0.340 kg/m	
		
MEA 273 0.405 kg/m		
		
MEA 274 0.409 kg/m	MEA 302 0.671 kg/m	
		
MEA 303 0.784 kg/m	MEA 306 0.348 kg/m	
		
MEA 304 1.138 kg/m		
		

All dimensions in mm.

Metal Extrusions

AIR GRILL PROFILE

MEA 305 0.347 kg/m		MEA 276 0.215 kg/m		MEA 277 0.112 kg/m	
					
MEA 307 0.062 kg/m		MEA 278 0.458 kg/m		MEA 279 0.396 kg/m	
					
MEA 280 0.330 kg/m		MEA 282 0.339 kg/m			
					
MEA 284				0.355 kg/m	
					
MEA 285 0.681 kg/m		MEA 286 0.806 kg/m			
					
MEA 287				1.173 kg/m	
					

All dimensions in mm.


Metal Extrusions



AIR GRILL PROFILE


MEA 308

0.517 kg/m



MEA 288

0.700 kg/m



NOTES

[illegible]

NOTES

[illegible]